

Analytical report AR-26-E8-118313-01



Sample code 297-2026-00178961

Issue date 10.09.2026

Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x Type of sample	ALLNUTRITION FIKTING DELICIOUS FLAVOR DROPS 50ml COCONUT 005-32419-3985127
x Prescriber	SFD S.A.
x Purchase order date	31.08.2026
Transport by	Eurofins sample taker
x Sampling Person	principal
x Purpose of the testing	not specified
x Type of sampling	to guarantee its representativeness
Reception date	02.09.2026
x Batch number	L.1243.06.26.COC
x Packaging	manufacturer packaging
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1
x Client sample code	Nowa próbka 20
Start analysis	04.09.2026
End Analysis	09.09.2026

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
ID01X	Fructose (A)	Internal method, HPAEC-PAD	< 0 ,1	g/100 g	
	Galactose (A)		< 0 ,1	g/100 g	
	Glucose (A)		< 0 ,1	g/100 g	
	Lactose (A)		< 0 ,1	g/100 g	
	Maltose (A)		< 0 ,1	g/100 g	
	Sucrose (A)		< 0 ,1	g/100 g	
	Sum of sugars (A)		< 0 ,10	g/100 g	

A = Accredited method
x = Data provided by the customer

Details of laboratory accreditation:

ID01X: Eurofins Chemical Control S.r.l. (Cuneo) RE000TG: UNI CEI EN ISO/IEC 17025:2018 ACCREDIA 00433

Wiktoria Tomecka-Orzel

Approved by Wiktoria Tomecka-Orzel
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form $<y$ or $>y$ (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

NIP: PL5792000046 Regon: 192897343