Eurofins Polska Sp. z.o.o.
ul. Dubois 118D
93-465 Lodz
POLAND
Tel: Not available

Analytical report AR-26-E8-138407-01

Sample code 297-2026-00201926

Issue date 21.10.2026

	Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x	**Type of sample**	ALLNUTRITION FRULOVE SOUR DATE 100 g PEACH FLAVOUR 005-32419-4013581
x	**Prescriber**	SFD S.A.
x	**Purchase order date**	01.10.2026
	Transport by	Courier
x	**Sampling Person**	principal
x	**Purpose of the testing**	not specified
x	**Type of sampling**	to guarantee its representativeness
	Reception date	02.10.2026
x	**Batch number**	P-61609
x	**Packaging**	manufacturer packaging
	Sample condition	acceptable
	Transport condition	at ambient temp.
	Number of tested samples	1
x	**Client sample code**	Nowa próbka 16
	Start analysis	08.10.2026
	End Analysis	20.10.2026

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
HEC4F	High molecular weight DF (IDF + SDFP) (A)	AOAC 2017.16, Enzymatic-gravimetry	8 ,2	% (w/w)	± 1.1
	Low Molecular Weight DF (SDFS) (A)		1 ,5	% (w/w)	± 0.2
	Total DF (TDF= (IDF+SDFP) +SDFS) (sum) (A)		9 ,7	% (w/w)	± 1.3

A = Accredited method
x = Data provided by the customer

Details of laboratory accreditation:
HEC4F: Eurofins Food Testing Netherlands (Heerenveen) O002: ISO/IEC 17025: 2017 RvA Testing L154

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). The measurement uncertainty does not take into account the sampling step.

Wiktoria Tomecka-Orzel

Approved by Wiktoria Tomecka-Orzel
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form <y or >y (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.